

4" WHITE CAP -DRILL 2  
4/16" DIA. HOLES IN CAP.

NDS 4" CAP  
PAINT CAP AND PIPE TO MATCH D.G.

BUBBLER - PER PLAN

FINISH GRADE

4" BERM

1/2 INCH SCH 80 NIPPLE

8" MIN. LENGTH  
AS REQUIRED

P.V.C. LATERAL LINE

1/2 INCH ELL SCH. 40

NATIVE SOIL / SUB-GRADE

4" DIA. PERFORATED DRAIN PIPE  
D- 2729 / 12" LONG. WRAP WITH FILTER  
CLOTH.

3/4" DIA. WASHED GRAVEL IN PIPE.  
AND 1 CUBIC FT. AT BASE OF PERFORATED  
PIPE.


TREE/  
PALM




2'-0" MIN.  
TYP.

2" MIN.

4" BERM

12"



SCALE N.T.S.	REVISIONS			DESIGN AND DEVELOPMENT DEPARTMENT	STANDARD PLAN NO.
	NO.	DATE			780
			APPROVED BY: CITY OF LA QUINTA	<b>TREE / PALM BUBBLER DETAIL</b>	SHEET
			 BRYAN MCKINNEY PUBLIC WORKS DIRECTOR/CITY ENGINEER R.C.E. NO. 49418		11-4-2020 DATE